PRIVATE ADVERTISEMENTS

THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 25th April 1935, published under Article 141 of the Articles of Association.

LIABILITIES			ASSETS		
		Rs.			Rs.
To Capital Receipts ..	..	20,00,000	By Cash in Hand and at Bankers..		23,88,620
,, Reserve Fund ..	..	23,25,000	,, Loans and Cash Credit Accounts		1,61,09,168
,, Public and other Deposits	..	2,00,42,521	,, Bills discounted ..	..	1,33,340
,, Sundries ..	..	4,29,552	,, Investments ..	..	54,82,776
			,, Balance at Agencies ..	..	12,708
(Annas and pies omitted.)			,, Dead Stock ..	..	5,86,512
			,, Sundries ..	..	83,949
Total	..	2,47,97,073	Total	..	2,47,97,073

BANGALORE,
Dated 29th April 1935.

P. W. O'BRIEN,
Manager.

OFFICE OF THE UNIVERSITY OF MYSORE, MYSORE.

Notification No. 19951, *dated* 24—27*th April* 1935.

B. Thungamma, student of the III year B.Sc., (Hons.) class, Central College, Bangalore, is permitted to change her name to Thungamma, K. Ramachandra Rao.

By Order,
V. GOPALASWAMY AIENGAR,
Registrar.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 18953-68, *dated* 24*th April* 1935.

To

The Firms dealing in Electric Grinding Set.

Enquiry No. 1328.

DEAR SIR—GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be, subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Electric Grinding Set" with the above enquiry Number.

This enquiry will be closed on the 6th May 1935.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Grinding Set comprising of an Electric Motor with ball bearings, a portable truck, flexible shaft, hand piece and outer hand piece fitted with ball bearings, overhung spindle, aluminium protective cover and emery wheel, iron clad switch with fuse, the whole set to be supplied complete with connections and four core C.T.S. cable and ready for work by simply connecting the mains.	One.	Bangalore.	

No. S. P. C. 18933-52, *dated 25th April* 1935.

To

The Furniture Contractors.

Enquiry No. 1329.

GENTLEMEN,

Please intimate your best present day prices for articles of furniture noted below for delivery free at the several places noted therein :—

Item No.	Description of article	Places of delivery										
		Kolar	Srinivaspur	Chintamani	Bagepalli	Sidlaghatta	Chikballapur	Goribidnur	Gudibanda	Bowringpet	Mulbagal	Malur
1	Teakwood Benches, 6′×1′×14″ thickness of plank 1″, 6 legs of 2″×2″, with cross bars of 1¾″×1″, with broad patties to support planks 2½″×1″	8	6	10	..	2	3	9	..	6	4	2
2	Teakwood Class Room tables with drawers 30″×27″×30″ high 4 square legs 2″×2″, supported by cross bars 1¾″×1″ the knobs or drawer pulls to be wedge-fixed and not merely glued. Not more than two planks to be used.	5	9	6	..	5	5	7	1	4	6	2
3	Teakwood Bugproof chairs, height of back 3′, height in front 28″, plain seat 18″×1″×22½″ not more than 2 planks to be used for the seat	8	7	4	1	5	5	7	1	5	6	1
4	Teakwood planks 6′×14″×1″, with battens 2″×2″ at ends and in the middle. Single plank to be used ..	12	28	18	4	12	20	18	..	12	22	4
5	Teakwood Stools, 18″×18″×18″, thickness of plank 1″, patties 1¾″×1′ and 4 legs as for Benches	14	..	..	..	..	..	..	..	..	..	..
6	Do 18″×12″×18″ do	..	6	4	1	4	4	5	2	2	4	4
	Total Cost Rs. ..											

N.B.—(1) The cost of each item as well as the *total cost* of articles required to be delivered at each place should be correctly noted.

(2) The articles of furniture should be manufactured out of the best well seasoned Mysore Teakwood.

(3) The letters "L.E.A.K." should be carved on each article.

(4) The articles of furniture should be well polished and varnished.

Your quotation should be subject to the conditions of contract enclosed and should reach this office by 10th May 1935.

CONDITIONS OF CONTRACT FOR THE SUPPLY OF ARTICLES OF FURNITURE.

1. The articles will be required to be manufactured according to our specifications out of well seasoned Mysore Teak wood or Rose wood as the case may be, free from all defects, such as, knots, bends, white and sap wood, etc. All the articles are required to be well polished and varnished.

2. The articles will be subject to inspection by an Officer to be deputed for the purpose both during manufacture and after completion and such of the articles as may be found defective during such inspection, either due to bad workmanship or due to use of bad materials, will be rejected and you will be required to replace them by sound ones according to specification.

3. The soundness of all the articles should be guaranteed for one year during which period the defects that may be noticed by the Department will have to be rectified by you at your cost.

4. You should be prepared to execute an agreement undertaking to abide by the conditions of our tender and also to deposit as security a sum not less than five per cent of the value of the order.

5. Withdrawal from the quotation after it is accepted or failure to make supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of three per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of Approved Firms.

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, for the week ending Saturday the 30th March 1935.

Indent & Enquiry No.	Name of article	Quantity	Name of Firm	Value of contract
				Rs. a. p.
Local.				
3135	Spares for D. S. P. Sprayers ..	lot.	Messrs. Darragh, Smail & Co., Allepy .	283 0 0 the lot ex. godown.
2911 Extn.	Levelling staves, teakwood, 14 ft. "Sopwith" pattern, telescopic	11	P. Orr & Sons, Madras ..	396 0 0 lot f.o.r. Bangalore.
3136	Materials—Laboratory ..	lot.	International General Electric Co., Bangalore City	1,232 0 0 do
3137 E. 1240	Safes, iron, eight corner bent, burglar proof. 24″×18″×18″			80 0 0
	30″×21″×21		The Mysore Metal Industries,	120 0 0 Free delivery in
	Do Fire and burglar proof, 24″×18″×18″	Rate contract	Ltd., Bangalore City.	115 0 0 Bangalore.
	30″×21″×21″			150 0 0
3138	Paris Green, 55—58% Arsenic trioxide, packed in 1 cwt. crates.	30 cwts.	T. Ramachandra Rao, Bangalore City.	61 0 0 cwt. f.o.r., Mandya.
3139	Pump, Mather and Platt capable of discharging 4,000 gals. per minute against a head of 50 ft. complete with valves and gauge cocks and one electric Motor.	1 set	Mather & Platt, Ltd., Bombay.	5,565 0 0 f.o.r., Mysore.
	Spares for the Pump and Motor ..	do	Do ..	1,487 0 0 do
3140	Gate collapsible, 10′×6′ of double leafed ¾″ pickets, complete with a gunmetal clutch 4″.	1	William Jacks & Co., Madras .	172 8 0 f.o.r., Shimoga.
3087 Extn.	Motor, Electric, "Witton" for 220-volts. 25-cycles, 3-phase current, 2 H.P., D.C. shunt with end shield, ball and roller bearing.	1	The General Electric Co., Madras, Madras.	200 0 0 f. o. r., Bangalore.
3141	Maps, wall, Urdu ..	45	K.S.M. Feroz-Ud-Din & Sons, Lahore.	101 4 0 lot f.o.r., Kolar.
	Do Kannada ..	80	S. K. Linganniah, Bangalore City.	159 0 0 do
3142 E. 1221	Colas ..	2 tons	Texas Co., (India) Ltd., Madras.	133 0 0 per ton f. o. r., Chikmagalur Out-Agency.
	Colasmix ..	6 tons	Burmah-Shell Oil Co., Bombay	150 0 0 per ton f. o. r., Bombay.
3144	Rails, secondhand, steel 41½ lbs. Section.	770	A. G. Senapathy, Bangalore ..	59 0 0 per ton f. o. r., Veldruti.
3146	7″ Stoneware pipes ..	2,000		1 1 6 each f.o.r., Mysore.
	4″ do ..	1,500		0 10 3 do
	4″ Stoneware ¼ bends ..	150	Perfect Pottery Co., Ltd., Jubbalpore.	0 13 3 do
	4 Stoneware eye bends ..	150		1 0 0 do
	6″×4″ Gully traps ..	150		1 11 0 do

Indent & Enquiry No.	Name of article	Quantity	Name of Firm	Value of contract
Foreign.				
1678	Luminairs "Novalux" consisting of hood, insulator, socket and reflector.	200	International General Electric Co., London, through the Trade Commissioner for Mysore in London.	$ 1128.00 lot f.a.s., New York.
1679 E. 1437	Cable, telephone, paper insulated, lead covered, jute served and steel tape armoured and again 2 layer jute served.	800 ft.	La Claire Electric Lamps Corporation, Bombay.	£ 6–12–0 lot c.i.f., Madras.

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, for the week ending Saturday the 6th April 1935.

Local.				
3148 E. 1266	Silver Lead ..	2 cwts.	Messrs.— Soorchand Kewaldas, Bombay	Rs. a. p. 170 0 0 cwt. f.o.r., Bombay.
3149 E. 1233	Cloth, Mock lend quality M. 102 (69″×40 yds.)	12 pieces	The Commission & General Agency, Bangalore.	12 14 0 per piece f. o. r., Shimoga.
3150	Lime, Birur quality ..	5,000 tins of 32 lbs. each	M. V. Maralusiddiah, Shimoga	0 15 0 per tin delivered at Chikmagalur.
3151 E. 1220	Hose Spray, Rubber, "Goodrich make ⅜″ for a working pressure of 400 lbs.	7,000 ft.	Byramshaw's Agencies, Bangalore.	.0 4 8 per ft. less 10% f.o.r., Destination.
	Hose Spray, Rubber "Continental" make ⅜″ for a working pressure of 400 lbs.	1,200 ft.	The Raja Cycle & Motor Works Bangalore City.	.0 3 6 per ft. f. o. r., Shimoga.
3152 E. 1286	Tree Killer "Atlas" Brand ..	5 gallons	Guest Keen Williams, Ltd., Madras.	35 0 0 per gal. f. o. r., Bombay.
3155	Apparatus and Chemicals, Laboratory.	Lot.	Oriental Science Workshop, Ambala Cantt.	171 0 0 lot f. o. r., Mysore.
Foreign.				
1668 Extn.	Cables, electric, varnished cambric insulated No. 7/14 S.W.G. for 600-volts covered with weather-proof Compound	2,200 ft.	John A. Robling & Sons, New York.	$ 141.00 c. i. f., Madras.
	Do No 7—12 S.W.G.	500 ,,	Do ..	$ 60.00 do
	Do No. 17—17 ,, ..	200 ,,	Do ..	$ 10.00 do
1680	Deck Fittings, El. for gallery ..	16	Ingram & Kemp, New Town Row, Birmingham.	£ 3–2–6 f. o. b., British Port.
1681 E. 1248	Oval Sleeves made of seamless copper tubing .049″ thick for splicing 1–0 B. & S. H.D. Bare solid copper conductor.	3,000 Nos.	General Cable Corporation, New York.	$ 563.00 c. i. f., Madras.

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, during the week ending Saturday the 13th April 1935.

Local.				
3157	Jars, glass of sizes for fish poisoning work.	48	T. Ramachandra Rao, Bangalore City.	Rs. a. p. 197 0 0 lot f. o r., Bangalore.
3158 E. 1231	Duplicator, Multor Rotary Automatic, Model No. 46.	1	Typewriter & Office Appliances Co., Madras.	400 0 0 f. o. r., Shimoga.
Foreign.				
1598 Extn.	Wire, G. I. Telephone, 8 B.W.G. with a breaking strength of 1,200 lbs.	25 miles	Felten & Guilleame, Eschweiter Draht, Koln, Germany.	£ 11–5–0 per ton c. i. f., Madras.
	Do No. 10 B.W.G. ..	30 ,,	Do ..	£ 12-0-0 do
1522 Extn.	Leatheroid, 4 mils thick ..	400 lbs.	British Thomson-Houston Co., London, through the Trade Commissioner for Mysore in London.	£ 31-13-4 lot f.o.b., London.
1683	Clips, Crosly, ⅜″ ..	10,000 Nos.	International General Electric Co., Bangalore City.	$ 1175.00 lot f.a.s., Rs. a. p. New York.
	Turn buckles 12″ long & ⅝″ dia.	850	British India Electric Construction, Ltd.,	220 0 0 gross f.o.r. Bangalore.
	Do 12″ ,, ½″ ,, ..	850	Do ..	182 0 0 do
	Wire thimbles for ⅜″ standard guy wire.	3,400		15 4 0 gross do
1685	Wire El. H.D. Bare copper No. 6 B. & S.	225 miles	International General Electric Co., Bangalore City.	Cents. 8.95 per lb. c.i. f., Madras.
1686 E. 1236	Wire, El. insulated for 660 volts pressure.	17,000 ft.	La Claire Electric Lamps Corporation, Bombay.	6 4 0 per 100 yds. f.o.r., Mysore.
	Do No. 12 B. & S. ..	12,000 ,,	Do ..	14 14 0 do
	Fixture, wire, El. 3/.036 ..	1,000 ,,	Crompton Engineering Co., Madras.	4 15 0 per 100 yds. do

No. S. P. C. 18069-78, *dated 26th April* 1935.

To

The Firms dealing in Steel Racks.

Enquiry No. 1327.

STEEL ALMIRAH.

GENTLEMEN,

Please intimate your best present day price for three Steel Almirahs of the specification noted below :—

Three Steel Racks fixed side to side each of 8 ft. 4 in. × 3 ft. × 19 inches with ten shelves including top and bottom, complete with doors, lock and keys in duplicate, door handles, etc. The top shelves are also to be provided with separate shutters.

Each rack should be made of four angle steel corner standards of size $1\frac{1}{2}'' \times 1\frac{1}{2}'' \times \frac{1}{8}''$. The shelves, sides, backs and doors should be made of Tata's best steel sheets of 18 guage thickness.

The racks are to be provided with cornices with steel plate tops.

The bolts and nuts, etc., used for purposes of riveting should be of uniform and standard pattern.

The price quoted for the racks should include cost of erection in the Office of the Secretary, Mysore State Life Insurance Committee, Bangalore.

They are to be painted olive green.

The racks are required to be fitted side by side as a separate unit. Tenderers may inspect the existing racks at the Office of the Secretary, Mysore State Life Insurance Office, Bangalore.

Your quotation should reach this office on or before the 13th May 1935.

No. S. P. C. 19193-98, *dated 29th April* 1935.

To

The Firms dealing in Rosin, etc.

Enquiry No. 1331.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Rosin and Vermillion Imitation " with the above enquiry Number.

This enquiry will be closed on the 9th May 1935.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Bangalore.	
1	Rosin Grade W. W.	8 cwts.		
2	Imitation Vermillion	1 cwt.		

No. S. P. C. 19261-70, *dated 29th April* 1935.

To

The Firms dealing in Hardware Materials.

Enquiry No. 1332.

STEEL WIRE ROPE, CHAIN LINKS, ETC.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed overleaf.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Steel Wire Rope, Chain Links, etc." with the above enquiry Number.

This enquiry will be closed on the 8th May 1935.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Bangalore.	
1	$\frac{3}{8}$" Steel Wire Rope of 6 ply	1,000 ft.		Delivery from stock preferred.
2	Chain Links	500		
3	Coupler Links	50		

N.B.—The above materials are for use on Calyx F3 Type core drills.
Samples and full specifications of the materials offered should be furnished without which your quotation will not be considered.

No. S. P. C. 19231-60, *dated 29th April* 1935.

To

The Firms dealing in Soap Cartons.

Enquiry No. 1333.

SMALL TOILET SOAP CARTONS.

GENTLEMEN,

The Stores Purchase Committee are in the market for five lakhs (5,00,000) small toilet soap cartons as per sample available in the Office of the Secretary, Stores Purchase Committee. The size of the cartons should be in strict conformity to the sample marked "A" and the quality of the cardboard, design, colour and printing, etc., should be according to the sample marked "B".

Please be good enough, to quote your best present day prices for delivery both f. o. r., Bangalore and c. i. f., Madras, forwarding sample of the cardboard to be used in the preparation of the above cartons and intimate also the earliest time within which you can deliver them should an order be placed with you. If delivery cannot be effected in one single lot, it may be clearly specified in the quotation in how many instalments and at what intervals the full quantity of the five lakhs of cartons required would be supplied.

The quotation should be superscribed "Quotation for small toilet soap cartons" and sent to the undersigned to reach him on or before the 13th June 1935.

Your prices may be kindly telegraphed, if necessary, to reach the undersigned by the aforesaid date clearly stating whether the cartons to be supplied by you would be exact to the sample designs furnished to you in respect of the size, cardboard, design, colour and printing.

No. S. P. C. 19201-30, *dated 29th April* 1935.

To

The Firms dealing in Soap Cartons.

Enquiry No. 1334.

WASHING SOAP CARTONS.

GENTLEMEN,

The Stores Purchase Committee are in the market for five lakhs or five hundred thousand washing soap cartons as per samples available in the Office of the Secretary, Stores Purchase Committee. It will be observed from the samples that the cartons has been printed by the tri-colour block system but quotations for cartons printed and prepared by the lighographic process will be preferred. Should it be found necessary, the Stores Purchase Committee will have the right to alter the existing design in case better designs are offered by the tendering firms. Quotations should therefore be furnished both for cartons prepared in accordance with the sample designs furnished and also according to other designs offered as alternative makes. Samples of cardboards from which the above

cartons will be made, as also samples of similar cartons printed and offered by you for the general trade should be furnished, without which your quotation will not be considered.

We require cartons intended to hold both 7 oz. and 8 oz. tablets as per designs sent to you. Our exact requirements of the two kinds required will be intimated to you at the time of placing the order.

Your quotation should be superscribed "Quotation for Washing Soap Cartons" and sent to the undersigned on or before the 18th June 1935.

Please quote the above enquiry Number in all your communication.

No. S. P. C. 19346-56, *dated 29th April* 1935.

To

The Firms dealing in Air Compressors.

Enquiry No. 1335.

PETROL ENGINE DRIVEN AIR COMPRESSOR.

GENTLEMEN,

Please quote your best price and earliest time of delivery for one Portable Petrol Engine Driven Air Compressor mounted on rubber tyred wheels, conforming to the following specifications.

The complete unit should be mounted on the trolley petrol engine being directly connected with a flexible coupling to the compressor. The engine should be provided with the best type of ignition system and carburetter. Necessary cooling arrangements by a radiator should be provided for the engine and the compressor. The whole equipment should be fitted with ball and roller bearings as the place demands. The capacity of the compressor should be 1,500 c.ft. per hour.

The air from this compressor is required for cleaning the generators and other electrical machinery during shut-downs. The pressure of air to be delivered by the compressor should be 80—100 lbs. per square inch. The reservior which has to be built in the trolley itself should be capable of meeting the demand for at least quarter of an hour.

The air from the compressor reservoir will be taken under pressure through a $\frac{3}{4}$" rubber hose and directed towards the machines to be cleaned.

If the specifications given above are not the standard with you, the nearest standard type of compressor meeting the above requirements may be quoted for.

Detailed information regarding the consumption of petrol per hour under maximum load conditions should be furnished in the tender. The type of engine carburetter and magneto provided for should be specified.

Full description of the machine offered should be given in your tender which should be accompanied by drawings and sketches of the material offered.

The price to be quoted should be for delivery c. i. f., Madras.

This enquiry will close on the 31st May 1935.

Yours faithfully,
V. VEDAVYASACHARYA,
Secretary,
Stores Purchase Committee.

No. S. P. C. 19313-14, *dated* 27*th April* 1935.

NOTICE.

Enquiry No. 1318.

SWITCHBOARD INSTRUMENTS AND RELAYS FOR BHADRAVATI.

Tenders for loose switchboard instruments comprising Ammeters, Current Transformers, etc., will be received by the undersigned up to the 30th May 1935. Detailed specifications will be furnished on application.

No. S. P. C. 19311-12, *dated* 27*th April* 1935.

NOTICE.

Enquiry No. 1319.

LOW TENSION SWITCHGEAR FOR BHADRAVATI.

Tenders will be received by the undersigned up to 25th May 1935 for the supply of Low Tension Switchgear comprising oil circuit breakers and disconnecting switches. Further details will be furnished on request.

By Order,
V. VEDAVYASACHARYA,
Secretary,
Stores Purchase Committee.